



**Fitting Instructions for SRG0016 Radiator Guard**  
**SUZUKI V-STROM 1000 '06 – '13**



- In This Kit There Should Be**  
1x Radiator Guard (SRG0016)  
2x M6 x 16mm Long Button Head Bolts  
2x M6 Washers  
2x M6 Nyloc Nuts  
2x 100mm Lengths of self-adhesive Foam



Picture 1



Picture 2



Picture 3



Picture 4



Picture 5

### **TOOLS REQUIRED**

- Socket set to include 4mm A/F & 10mm socket & wrench.

### **FITTING INSTRUCTIONS**

- To fit the radiator guard to the bike cut the foam strip provided into 10mm wide pieces and stick them to the back of the radiator guard frame, so that they sit between the radiator guard and the radiator.
- Remove the bolt that secures the bottom of the radiator in place, as shown in picture 1.
- Take the two M6 x 16mm bolts, washers and nyloc nuts supplied in the kit and lay them out on a workbench as shown in picture 2. *There are two holes in the bracket attached to the top of the radiator which mount it to the frame which these bolts will need to go through (the left hand side bracket/hole is arrowed in picture 3).*
- Offer the R&G Radiator Guard into place on the bike, ensuring that the two upper mounting tabs sit on the outside of the upper radiator mounting brackets, as shown in picture 4. Fit the two M6 x 16mm bolts, washers and nuts through the radiator guard mounting hole and then through the hole in the radiator mount bracket, also shown in picture 4, before tightening

R&G Racing

Unit 1, Shelley's Lane, East Worldham, Alton, Hampshire, GU34 3AQ

Tel: +44 (0)1420 89007 Fax: +44 (0)1420 87301 [www.rg-racing.com](http://www.rg-racing.com) Email: [info@rg-racing.com](mailto:info@rg-racing.com)



- With the radiator guard in place, the lower bracket should align with the lower radiator mount, as shown in picture 5. Re-fit the original bolt and tighten.
- Ensure the radiator guard is correctly mounted and tighten all bolts evenly.

ISSUE 1 31/10/2013 (AR)

#### **CONSUMER NOTICE**

The catalogue description and any exhibition of samples are only broad indications of the Products and R&G may make design changes which do not diminish their performance or visual appeal and supplying them in such state shall conform to the order. The Buyer acknowledges no representation or warranty (other than as to title) has been given or will apply to the Products other than those in R&G's order or confirmation and the Buyer confirms it has chosen the Products as being of merchantable quality and suitable for its particular purposes. Where R&G fits the Products or undertakes other services it shall exercise reasonable skill and care and rectify any fault free of charge unless the workmanship has been disturbed. The Buyer is responsible for ensuring that the warranty on the motorcycle is not affected by the fitting of the Products. On return of any defective Products R&G shall at its option either supply a replacement or refund the purchase money but shall not be liable if the Products have been modified or used or maintained otherwise than in accordance with R&G's or manufacturer's instructions and good engineering practice or if the defect arises from accident or neglect. Other than identified above and subject to R&G not limiting its liability for causing death and personal injury, it shall not be liable for indirect or consequential loss and otherwise its liability shall be limited to the amounts paid by the Buyer for the Products or the fitting or service concerned. These terms do not affect the Buyer's statutory rights.

#### **R&G RACING RETURNS POLICY (NON-FAULTY GOODS)**

Returns must be pre-authorized (if not pre-authorized the return will be rejected). Goods may only be returned direct to us if they were purchased direct from us (customer must prove if necessary). Otherwise to be returned to original vendor. Goods must be in re-sellable condition, in the opinion of R&G Racing. All returns are subject to a 25% restocking and handling fee (25% of the gross value exc. P&P – at the prevailing price at time of purchase). The customer must pay any and all carriage charges. No returns of discontinued products, unless within 14 days of purchase. This policy does not affect your statutory rights and does not refer to faulty goods.



**Montageanleitung für den SRG0016 Kühlerschutz**  
**SUZUKI V-STROM 1000 '06 – '13**



**Dieser Kit enthält:**  
**1x Kühlerschutz (SRG0016)**  
**2x M6x16mm Halbrundkopfschraube**  
**2 x Unterlegscheiben**  
**2 x selbstsichernde Mutter**  
**2x 100mm Schaumstoffstreifen**



Abbildung 1



Abbildung 2



Abbildung 3



Abbildung 4



Abbildung 5

### **SIE BENÖTIGEN FOLGENDES WERKZEUG:**

- Steckschlüssel-Satz inkl. 4mm & 10mm Steckschlüssel
- 

### **MONTAGEANLEITUNG**

- Um den Kühlerschutz am Motorrad zu montieren, schneiden Sie zuerst die mitgelieferten Schaumstoff-Streifen in 10 mm breite Streifen und kleben Sie diese auf der Rückseite des Kühlerschutz-Rahmens, so dass sie zwischen dem Kühlerschutz und dem Kühler angebracht sind.
- Entfernen Sie die Schraube, die den Kühlerschutz unten befestigt (siehe Abbildung 1).
- Nehmen Sie die M6 x 16mm Halbrundkopfschrauben, die Unterlegscheiben und die selbstsichernden Mutter vom Kit und legen Sie sie auf die Werkbank – siehe Abbildung 2. *Die Halterung oben am Kühlerschutz (um den Kühlerschutz am Rahmen zu montieren) hat zwei Montagelöcher. Die Schrauben müssen durch diese Montagelöcher eingeführt werden (die linke Halterung/ Montageöffnung ist in Abbildung 3 mit einem Pfeil gekennzeichnet).*



- Den R&G Kühlerschutz in Position bringen und fixieren – die zwei oberen Montagelaschen sind außen an den oberen Kühlerschutzhalterungen angebracht – siehe Abbildung 4. Die zwei M6 x 16mm Schrauben, Unterlegscheiben und Mutter durch das Montage Loch für den Kühlerschutz dann in die Montageöffnung der Kühlermontagehalterung einführen - siehe Abbildung 4 – bevor Sie die befestigen.
- Wenn der Kühlerschutz in Position ist – wie in Abbildung 5 dargestellt – sollte die untere Montagehalterung mit der unteren Kühlerhalterung ausgerichtet sein. Montieren und befestigen Sie die Originalschraube.
- Überprüfen Sie, dass der Kühlerschutz ordnungsgemäß angebracht ist und ziehen Sie alle Schrauben gleichmäßig fest.

AUSGABE 1 31/10/2013 (AR)

#### **CONSUMER NOTICE**

The catalogue description and any exhibition of samples are only broad indications of the Products and R&G may make design changes which do not diminish their performance or visual appeal and supplying them in such state shall conform to the order. The Buyer acknowledges no representation or warranty (other than as to title) has been given or will apply to the Products other than those in R&G's order or confirmation and the Buyer confirms it has chosen the Products as being of merchantable quality and suitable for its particular purposes. Where R&G fits the Products or undertakes other services it shall exercise reasonable skill and care and rectify any fault free of charge unless the workmanship has been disturbed. The Buyer is responsible for ensuring that the warranty on the motorcycle is not affected by the fitting of the Products. On return of any defective Products R&G shall at its option either supply a replacement or refund the purchase money but shall not be liable if the Products have been modified or used or maintained otherwise than in accordance with R&G's or manufacturer's instructions and good engineering practice or if the defect arises from accident or neglect. Other than identified above and subject to R&G not limiting its liability for causing death and personal injury, it shall not be liable for indirect or consequential loss and otherwise its liability shall be limited to the amounts paid by the Buyer for the Products or the fitting or service concerned. These terms do not affect the Buyer's statutory rights.

#### **R&G RACING RETURNS POLICY (NON-FAULTY GOODS)**

Returns must be pre-authorized (if not pre-authorized the return will be rejected). Goods may only be returned direct to us if they were purchased direct from us (customer must prove if necessary). Otherwise to be returned to original vendor. Goods must be in re-sellable condition, in the opinion of R&G Racing. All returns are subject to a 25% restocking and handling fee (25% of the gross value exc. P&P – at the prevailing price at time of purchase). The customer must pay any and all carriage charges. No returns of discontinued products, unless within 14 days of purchase. This policy does not affect your statutory rights and does not refer to faulty goods.



**INSTRUCTIONS DE MONTAGE POUR SRG0016 Grille de protection radiateur**  
**SUZUKI V-STROM 1000 '06 – '13**



**Le kit doit contenir :**

- 1x Grille de protection radiateur (SRG0016)
- 2x M6 x 16mm Boulons
- 2x M6 Rondelles
- 2x M6 Ecrous Nyloc
- 2x 100mm Mousse autocollante





Photo 1



Photo 2



Photo 3



Photo 4

Photo 5

### Outils requis

- Jeu de clés à douille 4mm & 10mm

### INSTRUCTIONS DE MONTAGE:

- Couper la mousse autocollante en bandeaux de 10mm de large et collez-les au bas du cadre de support protection radiateur, de façon à ce qu'ils se retrouvent entre la grille de protection et le radiateur.
- Enlever le boulon qui fixe le bas du radiateur en place (photo 1).
- Prendre les 2 boulons M6 x 16mm, rondelles et écrous Nyloc fournis dans le kit et laissez les sur votre établi (photo 2). *Il y a 2 trous dans le support attaché sur le haut du radiateur, qui le fixe au cadre et ces boulons devront passer à travers (le support/trou coté gauche est indiqué par la photo 3).*
- Mettre la grille de protection en place sur la moto, en veillant à ce que les 2 onglets de fixation supérieurs se placent à l'extérieur des supports de radiateur supérieurs (photo 4). Passer les 2





boulons M6 x 16mm, les rondelles et écrous à travers le trou de fixation de la grille de protection puis à travers le trou dans le support radiateur (photo 4), avant de serrer.

- Une fois la grille en place, le support inférieur doit être aligné avec le support de radiateur inférieur (photo 5). Remettre le boulon d'origine puis serrer.
- Veiller à ce que la grille de protection soit correctement montée puis serrer tous les boulons de façon égale.

ISSUE 1 31/10/2013 (AR)

#### **CONSUMER NOTICE**

The catalogue description and any exhibition of samples are only broad indications of the Products and R&G may make design changes which do not diminish their performance or visual appeal and supplying them in such state shall conform to the order. The Buyer acknowledges no representation or warranty (other than as to title) has been given or will apply to the Products other than those in R&G's order or confirmation and the Buyer confirms it has chosen the Products as being of merchantable quality and suitable for its particular purposes. Where R&G fits the Products or undertakes other services it shall exercise reasonable skill and care and rectify any fault free of charge unless the workmanship has been disturbed. The Buyer is responsible for ensuring that the warranty on the motorcycle is not affected by the fitting of the Products. On return of any defective Products R&G shall at its option either supply a replacement or refund the purchase money but shall not be liable if the Products have been modified or used or maintained otherwise than in accordance with R&G's or manufacturer's instructions and good engineering practice or if the defect arises from accident or neglect. Other than identified above and subject to R&G not limiting its liability for causing death and personal injury, it shall not be liable for indirect or consequential loss and otherwise its liability shall be limited to the amounts paid by the Buyer for the Products or the fitting or service concerned. These terms do not affect the Buyer's statutory rights.

#### **R&G RACING RETURNS POLICY (NON-FAULTY GOODS)**

Returns must be pre-authorized (if not pre-authorized the return will be rejected). Goods may only be returned direct to us if they were purchased direct from us (customer must prove if necessary). Otherwise to be returned to original vendor. Goods must be in re-sellable condition, in the opinion of R&G Racing. All returns are subject to a 25% restocking and handling fee (25% of the gross value exc. P&P – at the prevailing price at time of purchase). The customer must pay any and all carriage charges. No returns of discontinued products, unless within 14 days of purchase. This policy does not affect your statutory rights and does not refer to faulty goods.

R&G Racing

Unit 1, Shelley's Lane, East Worldham, Alton, Hampshire, GU34 3AQ

Tel: +44 (0)1420 89007 Fax: +44 (0)1420 87301 [www.rg-racing.com](http://www.rg-racing.com) Email: [info@rg-racing.com](mailto:info@rg-racing.com)