



Fitting Instructions for RAD0167BK Radiator Guard
MV AGUSTA RIVALE 800 '14-



In This Kit There Should Be
1x Radiator Guard (RAD0167BK)
2x 100mm Lengths of self-adhesive Foam
4x Cable Ties



Picture 1



Picture 2




Picture 3



Picture 4



Picture 5



Picture 6

TOOLS REQUIRED

- Socket set to include 8mm socket & wrench.
 - Cable cutters.

FITTING INSTRUCTIONS

- To fit the radiator guard to the bike cut the foam strip provided into 10mm wide pieces and stick them to the back of the radiator guard frame, so that they sit between the radiator guard and the radiator.
- Remove the bolt mounting the top of the radiator in place, as arrowed in picture 1.
- Offer the R&G Radiator Guard roughly into place before looping one cable tie through the top corner mounting holes on either side of the radiator guard and then through the hole in the angled radiator bracket, as shown in picture 2. Connect the cable tie loosely.
- Re-fit the original top mounting bolt, ensuring it goes through the radiator guard mounting hole before locating through the OEM top hat spacer and into the threaded boss, as shown in picture 3.



- Ensure the radiator guard is correctly positioned paying particular attention to the two bolt heads on the right side of the radiator, as shown in picture 4. *The radiator guard cut-outs should clear the bolt heads ensuring the radiator guard can sit against the radiator core.*
- At the bottom of the radiator, one cable tie needs to be feed though the two holes in the lower bracket of the radiator guard, and then looped through the edge of the radiator matrix before being tightened, as shown in picture 5. This needs to be done on both sides of the radiator.
- With all the cable ties correctly fitted and the radiator guard positioned correctly, the top mounting bolt can be tightened along with all the cable ties.

ISSUE 1 02/01/2014 (AR)

Digital copies of these instructions are available to download from www.rg-racing.com

CONSUMER NOTICE

The catalogue description and any exhibition of samples are only broad indications of the Products and R&G may make design changes which do not diminish their performance or visual appeal and supplying them in such state shall conform to the order. The Buyer acknowledges no representation or warranty (other than as to title) has been given or will apply to the Products other than those in R&G's order or confirmation and the Buyer confirms it has chosen the Products as being of merchantable quality and suitable for its particular purposes. Where R&G fits the Products or undertakes other services it shall exercise reasonable skill and care and rectify any fault free of charge unless the workmanship has been disturbed. The Buyer is responsible for ensuring that the warranty on the motorcycle is not affected by the fitting of the Products. On return of any defective Products R&G shall at its option either supply a replacement or refund the purchase money but shall not be liable if the Products have been modified or used or maintained otherwise than in accordance with R&G's or manufacturer's instructions and good engineering practice or if the defect arises from accident or neglect. Other than identified above and subject to R&G not limiting its liability for causing death and personal injury, it shall not be liable for indirect or consequential loss and otherwise its liability shall be limited to the amounts paid by the Buyer for the Products or the fitting or service concerned. These terms do not affect the Buyer's statutory rights.

R&G RACING RETURNS POLICY (NON-FAULTY GOODS)

Returns must be pre-authorized (if not pre-authorized the return will be rejected). Goods may only be returned direct to us if they were purchased direct from us (customer must prove if necessary). Otherwise to be returned to original vendor. Goods must be in re-sellable condition, in the opinion of R&G Racing. All returns are subject to a 25% restocking and handling fee (25% of the gross value exc. P&P – at the prevailing price at time of purchase). The customer must pay any and all carriage charges. No returns of discontinued products, unless within 14 days of purchase. This policy does not affect your statutory rights and does not refer to faulty goods.



INSTRUCTIONS DE MONTAGE RAD0167BK Grille de protection
MV AGUSTA RIVALE 800 '14-



Le kit doit contenir :

- 1x Grille de protection (RAD0167BK)
- 2x 100mm Longueurs de mousse autocollante
- 4x Colliers se serrage



Photo 1



Photo 2



Photo 3



Photo 4




Photo 5



Photo 6

Outils requis

- Jeu de clés 8mm.
- Cutters.

Instructions de montage

- Couper la mousse en bandeaux de 10mm puis collez ces bandeaux au bas du support de protection radiateur, de façon à ce que ces bandeaux se situent entre la protection radiateur et le radiateur.
- Enlever le boulon qui fixe le haut du radiateur en place (Photo 1).
- Mettre la grille R&G en position sur la moto avant de poser un collier de serrage à travers les trous de fixation dans le coin supérieur puis à travers le trou dans le support radiateur coudé (Photo 2)/ Serrer très légèrement le collier.
- Remettre le boulon de fixation supérieur comme à l'origine, en veillant à ce qu'il aille dans le trou de fixation de radiateur avant de le placer à travers l'entretoise d'origine et dans les patron fileté (Photo 3).

R&G Racing

Unit 1, Shelley's Lane, East Worldham, Alton, Hampshire, GU34 3AQ

Tel: +44 (0)1420 89007 Fax: +44 (0)1420 87301 www.rg-racing.com Email: info@rg-racing.com



- Vérifier que la grille de protection soit bien installée, en faisant particulièrement attention aux 2 boulons du coté droit du radiateur (Photo 4. *Les découpes de la grille R&G doivent effacer les têtes de boulons assurant la possibilité pour le radiateur de se placer contre le noyau de radiateur.*
- Au bas du radiateur, un collier de serrage doit être passé à travers les 2 trous dans le support inférieur de la grille de protection, puis entourez en passant à travers le bord de la matrice radiateur avant de serrer (Photo 5). Cela doit s'effectuer des 2 cotés du radiateur.
- Avec tous les colliers de serrage correctement installés et la grille positionnée, le boulon de fixation supérieur peut être serré et les colliers de serrage serrés.

ISSUE 1 02/01/2014 (AR)

Ces instructions de montage sont disponibles au téléchargement sur www.rg-racing.com

CONSUMER NOTICE

The catalogue description and any exhibition of samples are only broad indications of the Products and R&G may make design changes which do not diminish their performance or visual appeal and supplying them in such state shall conform to the order. The Buyer acknowledges no representation or warranty (other than as to title) has been given or will apply to the Products other than those in R&G's order or confirmation and the Buyer confirms it has chosen the Products as being of merchantable quality and suitable for its particular purposes. Where R&G fits the Products or undertakes other services it shall exercise reasonable skill and care and rectify any fault free of charge unless the workmanship has been disturbed. The Buyer is responsible for ensuring that the warranty on the motorcycle is not affected by the fitting of the Products. On return of any defective Products R&G shall at its option either supply a replacement or refund the purchase money but shall not be liable if the Products have been modified or used or maintained otherwise than in accordance with R&G's or manufacturer's instructions and good engineering practice or if the defect arises from accident or neglect. Other than identified above and subject to R&G not limiting its liability for causing death and personal injury, it shall not be liable for indirect or consequential loss and otherwise its liability shall be limited to the amounts paid by the Buyer for the Products or the fitting or service concerned. These terms do not affect the Buyer's statutory rights.

R&G RACING RETURNS POLICY (NON-FAULTY GOODS)

Returns must be pre-authorized (if not pre-authorized the return will be rejected). Goods may only be returned direct to us if they were purchased direct from us (customer must prove if necessary). Otherwise to be returned to original vendor. Goods must be in re-sellable condition, in the opinion of R&G Racing. All returns are subject to a 25% restocking and handling fee (25% of the gross value exc. P&P – at the prevailing price at time of purchase). The customer must pay any and all carriage charges. No returns of discontinued products, unless within 14 days of purchase. This policy does not affect your statutory rights and does not refer to faulty goods.