


Fitting Instructions for RAD0173 Radiator Guard SUZUKI V-STROM (DL) 1000 2014-





In This Kit There Should Be 1x Radiator Guard (RAD0173). 2x 4mm Cable ties $2x\ 100mm$ Lengths of self-adhesive Foam.



Page | 1









TOOLS REQUIRED

- 8 and 10mm Spanners or sockets and wrench.
 - Cable cutters.

Page | 2

FITTING INSTRUCTIONS

- To fit the radiator guard to the bike cut the foam strip provided into 10mm wide pieces and stick them to the back of the radiator guard frame, so that they sit between the radiator guard and the radiator.
- Remove the three bolts arrowed in picture 1, 2 and 3.
- Offer the radiator guard into position as shown in the top picture.
- Secure the radiator guard into position using the three original bolts as original
- At the bottom left hand side (as you sit on the motorcycle) of the radiator guard, one of the cable ties needs to be feed though the hole in the lower corner of the radiator guard (as arrowed in picture 4), and then looped through the edge of the radiator matrix before being tightened.
- With the cable tie correctly fitted and the radiator guard positioned correctly, the mounting bolts can be tightened along with the cable tie (and trimmed0.

Digital copies of these instructions are available to download from www.rg-racing.com

ISSUE 1 04/06/2014 (NSY)

CONSUMER NOTICE

The catalogue description and any exhibition of samples are only broad indications of the Products and R&G may make design changes which do not diminish their performance or visual appeal and supplying them in such state shall conform to the order. The Buyer acknowledges no representation or warranty (other than as to title) has been given or will apply to the Products other than those in R&G's order or confirmation and the Buyer confirms it has chosen the Products as being of merchantable quality and suitable for its particular purposes. Where R&G fits the Products or undertakes other services it shall exercise reasonable skill and care and rectify any fault free of charge unless the workmanship has been disturbed. The Buyer is responsible for ensuring that the warranty on the motorcycle is not affected by the fitting of the Products. On return of any defective Products R&G shall at its option either supply a replacement or refund the purchase money but shall not be liable if the Products have been modified or used or maintained otherwise than in accordance with R&G's or manufacturer's instructions and good engineering practice or if the defect arises from accident or neglect.

Other than identified above and subject to R&G not limiting its liability for causing death and personal injury, it shall not be liable for indirect or consequential loss and otherwise its liability shall be limited to the amounts paid by the Buyer for the Products or the fitting or service concerned. These terms do not affect the Buyer's statutory rights.

R&G RACING RETURNS POLICY (NON-FAULTY GOODS)

Returns must be pre-authorised (if not pre-authorised the return will be rejected). Goods may only be returned direct to us if they were purchased direct from us (customer must prove if necessary). Otherwise to be returned to original vendor. Goods must be in re-sellable condition, in the opinion of R&G Racing. All returns are subject to a 25% restocking and handling fee (25% of the gross value exc. P&P – at the prevailing price at time of purchase). The customer must pay any and all carriage charges. No returns of discontinued products, unless within 14 days of purchase. This policy does not affect your statutory rights and does not refer to faulty goods.



<u>Instructions de montage RAD0173 Grille de protection radiateur SUZUKI V-STROM (DL) 1000 2014-</u>



Le kit doit contenir : 1x Grille de protection radiateur (RAD0173). 2x 4mm Colliers de serrage 2x 100mm Bandeaux autocollants.









PHOTO 4

Page | 3



OUTILS REQUIS

- Clé 8 et 10mm.
- Pince coupante.

Page | 4 Instructions de montage:

- Pour monter la grille de protection radiateur sur la moto, couper la mousse fournie en bandeaux de 10mm de large et collez les au bas du cadre de grille de protection radiateur, de façon à ce qu'ils se placent entre la grille de protection radiateur et le radiateur.
- Enlever les 3 boulons indiqués sur la photo 1, 2 et 3.
- Mettre la grille en positionc omme sur la photo du haut.
- Fixer la grille de protection en position à l'aide des 3 boulons comme à l'origine.
- En bas à gauche (lorsque vous êtes assis sur la moto) de la grille de protection, vous devez placer un des colliers de serrage en le passant dans le trou dans le coin inférieur de la grille de protection (comme sur la photo 4), puis enroulez le à travers le bord de la matrice radiateur avant de serrer.
- Une fois le collier de serrage correctement serré et la grille de protection placée correctement, vous pouvez serrer les boulons et les colliers de serrage.

Ces instructions de montage sont disponibles au téléchargement sur www.rg-racing.com

ISSUE 1 04/06/2014 (NSY)

CONSUMER NOTICE

The catalogue description and any exhibition of samples are only broad indications of the Products and R&G may make design changes which do not diminish their performance or visual appeal and supplying them in such state shall conform to the order. The Buyer acknowledges no representation or warranty (other than as to title) has been given or will apply to the Products other than those in R&G's order or confirmation and the Buyer confirms it has chosen the Products as being of merchantable quality and suitable for its particular purposes. Where R&G fits the Products or undertakes other services it shall exercise reasonable skill and care and rectify any fault free of charge unless the workmanship has been disturbed. The Buyer is responsible for ensuring that the warranty on the motorcycle is not affected by the fitting of the Products. On return of any defective Products R&G shall at its option either supply a replacement or refund the purchase money but shall not be liable if the Products have been modified or used or maintained otherwise than in accordance with R&G's or manufacturer's instructions and good engineering practice or if the defect arises from accident or neglect.

Other than identified above and subject to R&G not limiting its liability for causing death and personal injury, it shall not be liable for indirect or consequential loss and otherwise its liability shall be limited to the amounts paid by the Buyer for the Products or the fitting or service concerned. These terms do not affect the Buyer's statutory rights.

R&G RACING RETURNS POLICY (NON-FAULTY GOODS)

Returns must be pre-authorised (if not pre-authorised the return will be rejected). Goods may only be returned direct to us if they were purchased direct from us (customer must prove if necessary). Otherwise to be returned to original vendor. Goods must be in re-sellable condition, in the opinion of R&G Racing. All returns are subject to a 25% restocking and handling fee (25% of the gross value exc. P&P – at the prevailing price at time of purchase). The customer must pay any and all carriage charges. No returns of discontinued products, unless within 14 days of purchase. This policy does not affect your statutory rights and does not refer to faulty goods.